





## **MTP850 S / MTP850 FuG TETRA Terminals IP55 Compliance and Certification**

Mechanical hardware improvements introduced to the MTP850 S and MTP850 FuG TETRA terminals allowed certification to IP55.

To ensure compliance with IP55, attach the Protective Cover (part number: 3287533V81) to the CE Bottom Connector (as illustrated in this leaflet).

When the CE Protective Cover (part number: 3287533V81) is not attached, the terminals comply to IP54 only.

### **CE Protective Cover Installation**



## List of IP55 Certified Terminals

<b>Tanapa</b>	<b>Description</b>
PMUE3535C	MTP850 S 380 CLR ROM
PMUE3536C	MTP850 S 380 CLR ROM UCM-M AES128
PMUE3537C	MTP850 S 380 CLR ROM UCM-M AES256
PMUE3538C	MTP850 S 380 CLR ARB
PMUE3539C	MTP850 S 380 CLR ARB UCM-M AES128
PMUE3540C	MTP850 S 380 CLR ARB UCM-M AES256
PMUE3541C	MTP850 S 380 CLR CYR
PMUE3542C	MTP850 S 380 CLR CYR UCM-M AES128
PMUE3543C	MTP850 S 380 CLR CYR UCM-M AES256
PMUE3544C	MTP850 S 380 TEA1 ROM
PMUE3545C	MTP850 S 380 TEA1 ROM UCM-M AES128
PMUE3546C	MTP850 S 380 TEA1 ROM UCM-M AES256
PMUE3547C	MTP850 S 380 TEA1 ARB
PMUE3548C	MTP850 S 380 TEA1 ARB UCM-M AES128
PMUE3549C	MTP850 S 380 TEA1 ARB UCM-M AES256
PMUE3550C	MTP850 S 380 TEA1 CYR
PMUE3551C	MTP850 S 380 TEA1 CYR UCM-M AES128
PMUE3552C	MTP850 S 380 TEA1 CYR UCM-M AES256
PMUE3615B	MTP850 S 380 CLR HEB

<b>Tanapa</b>	<b>Description</b>
PMUE3553C	MTP850 S 380 TEA2 ROM
PMUE3600C	MTP850 FUG 380 TEA2 ROM
PMUE3421C	MTP850 FUG 380 TEA2 ROM BSI E2EE
PMUE3424C	MTP850 S 380 TEA2 ROM UCM-M AES128
PMUE3513C	MTP850 S 380 TEA2 ROM UCM-M AES256
PMUE3554C	MTP850 S 380 TEA3 ROM
PMUE3555C	MTP850 S 380 TEA3 ROM UCM-M AES128
PMUE3556C	MTP850 S 380 TEA3 ROM UCM-M AES256
PMUE3557C	MTP850 S 380 TEA3 ARB
PMUE3558C	MTP850 S 380 TEA3 ARB UCM-M AES128
PMUE3559C	MTP850 S 380 TEA3 ARB UCM-M AES256
PMUE3560C	MTP850 S 380 TEA3 CYR
PMUE3561C	MTP850 S 380 TEA3 CYR UCM-M AES128
PMUE3562C	MTP850 S 380 TEA3 CYR UCM-M AES256



When printed by Motorola

68015000567-A

